Contingent.

Gum	Seers	12
Reel thread	No.	12
Kriso (Bhadravati) disinfectant or Phenyle	Gallons	6

V. SRINIVASA MUDALIAR,
District Lock-up Officer.

PRIVATE ADVERTISEMENTS.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 8933-47, *dated 25th September* 1939.

To

The Firms dealing in Electrical Goods.

Enquiry No. 3686.

ELECTRICAL MATERIALS FOR KRISHNARAJSAGAR.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Electrical Materials," with the above enquiry number.

This enquiry will be closed on the 3rd October 1939.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
		Belagola (Mysore-Arsikere Line).		
1	Expulsion type cut outs 60 amps. Cat. No. 6×243	No. 3		
2	Lightning arrestors pallet type 3000 to 6000 volts	„ 3		
3	Bare copper wire No. 6 B. & S.	144 Lbs.		
4	Insulated wire No. 6 B. & S. 7/.064 varnish cambric insulated for 6,000 volts single core ..	300 R.ft.		
5	Insulated wire No. 1-B. & S. 37/0.064 V.I.R. insulated for 600 volts single core	300 „		

N.B.—1. The names of makers should be clearly mentioned.
2. Samples of materials for items 3, 4 and 5 should be furnished with the quotation.

No. S. P. C. 8948-68, *dated 25th September* 1939.

To

The Firms dealing in Switches and Crossings.

Enquiry No. 3690.

SWITCHES AND CROSSINGS REQUIRED FOR THE RE-RAILING OF MYSORE SOUTH—NANJANGUD TOWN SECTION.

GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule.

The materials will be subject to inspection and test by the Inspecting Staff of the Indian Stores Department. Our acceptance or rejection of the materials will be based on the result of such inspection.

The prices to be quoted should be for delivery *f.o.r., Mysore South Station*, Mysore State Railway, based on R.M.C. certificate which will be issued by the Railway department after the order is placed.

Part numbers as indicated in I.R.S. drawing should be stamped on the fittings or parts to be supplied.

All materials should be stamped "M.S.R." before despatch.

Round spikes to I.R.S. drawing No. T0. 18-ALT. 2 and also all optional bearing plates marked in I.R.S. drawings should also be supplied.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions: -

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specification will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Switches and Crossings" with the above enquiry Number.

This enquiry will be closed on the *6th October* 1939.

SCHEDULE.

Item No.	*Description of materials*	*Quantity required*
1.	Crossings 1/12 from 60 R lbs. F.F.B.S. section rails complete for Metre Gauge as per drawing No. I.R.S. (T) T.A. 5047-ALT 5 and to I.R.S. specification No.-T 10-34	4 sets.
2.	18′—0″ ordinary switches from 60 R lbs. F.F.B.S. section rails for Metre Gauge as per drawing No. I.R.S. (T) 5053-ALT 7 and to I.R.S. specification No. T-10-34 gauge—Tie plates connecting rods, lever boxes, etc., complete with throw-over levers .. .. (2 sets to be right handed and 2 sets to be left handed).	
3.	Crossings 1a—in 8½ from 60 R lbs. F.F.B.S. section rails for Metre Gauge as per drawing No. I.R.S. (T) TA 5050 ALT-5 and to I.R.S. specification No. T-10-34	5 sets.
4.	13′—6″ over riding switches from 60 R lbs. F.F.B.S. section rails for Metre Gauge as per drawing No. I.R.S. (T) TA 5122 ALT-5 and to I.R.S. specification No. T-10-34 gauge tie plates, connecting rods, lever boxes, etc., complete .. .. (3 sets to be right handed and 2 sets to be left handed).	

No. S. P. C. 8997-9008, dated 25th September 1939.

To

The Firms dealing in Telephone Cables.

Enquiry No. 3691.

SILK & COTTON COVERED CABLES FOR AUTOMATIC TELEPHONE EXTENSION.

GENTLEMEN,

I write to request you to quote your best prices and earliest time of delivery for the following materials :—

Item 1.—$\frac{1}{8}$ Mile of multi-conductor telephone cable consisting of 100 pairs of copper conductors, 10 lbs. per mile, enamelled and covered with one layer of silk and 2 layers of cotton, impregnated in vacuum with bees-wax and lead-sheathed.

Item 2.—$\frac{1}{4}$ Mile of	do	do	do	do	but of 50 pairs.
Item 3.—$\frac{1}{2}$ Mile of	do	do	do	do	but of 25 pairs.
Item 4.—$\frac{1}{2}$ Mile of	do	do	do	do	but of 10 pairs.
Item 5.—$\frac{1}{2}$ Mile of	do	do	do	do	but of 5 pairs.

The above cables shall be of twin-twist formation conforming to the I. S. D. Specification No. H-77A in so far as it is applicable to this type of cables and they shall have extra pairs of conductors as follows :—

100 pairs cable	5 extra pairs.
50 pairs cable	3 extra pairs.
25, 10 and 5 pair cables	1 extra pair.

In addition to the above extra pairs, each cable shall have an additional pair for transmission of broadcast 300 to 30,000 cycles—consisting of conductors of 40 lbs. per mile suitably insulated.

The lead-sheathing of the cables shall contain one per cent antimony and shall have a minimum thickness of ·075" for the 100 and 50 pair cables and ·065" for the other cables. The minimum thickness of enamel, silk and cotton insulation shall be as stated in Table I of I. S. D. Specification.

The tenders should be accompanied with full specifications, details of construction of the cables offered, without which no quotation will be considered.

The cabels will be required to be tested in accordance with I. S. D. Specification and test certificates thereof signed by a responsible officer of the manufacturers will be required to be submitted.

The prices to be quoted should be for delivery, c.i.f., Madras.

This enquiry will close on the 9th November 1939.

Yours faithfully,
T. RANGASWAMI,
Secretary,
Stores Purchase Committee.

CENTRAL RECRUITMENT BOARD.

Notification No. 1999—*C. R. B., dated 26th September* 1939.

In accordance with the Revised Rules of Recruitment, issued with Government Order No. 6-105—C. R. B. 1-34-1, dated the 3rd July 1934 and published in Part I of the ***Mysore Gazette***, dated the 5th July 1934, the approved lists of eligible candidates in the relative order of preference, for admission to the subordinate services of Government, in respect of the kind of appointments in the Unit Offices, mentioned below are hereby published for information.

Kind and Class of Appointments.—Clerks, Accountants, etc.—Class II.

Unit Office.—Inspector-General of Police in Mysore.

"A" or "General" List.

1. B. S. Mahipathi Rao, care of Mr. Sanjeevappa, Shanbhog, Bidadi.
2. S. Sreekanta Rao, 101, Sultanpet, Bangalore City.
3. T. N. Krishnamachar, care of T. Tatachar, Store-keeper, Intermediate College, Bangalore.
4. C. Srinivasachar, care of Mr. C. Srinivasa Gopalachar, Chamarajendra Sanskrit College, Bangalore City.
5. A. Venkanniah, Alur Village, Magadi Post.
6. M. Krishna Murthy, 11-12, Narasimha Jois Lane, Ulsoorpet, Bangalore City.